

**From:** [Walzer, Thomas](#)  
**To:** [Moore, Gary](#); [Criner, Jeffrey J.](#)  
**Cc:** [Crow, David](#); [Ayres, Rebecca](#)  
**Subject:** RE: CES Chemical Spill Report  
**Date:** Wednesday, February 18, 2015 7:57:50 AM  
**Attachments:** [removed.txt](#)

---

Thank you for the update. Is there anything I can assist with?

---



**Thomas Walzer**  
Principal Project Scientist  
**Weston Solutions, Inc.**  
*an employee-owned company*  
5599 San Felipe, Suite 700  
Houston, Texas 77056  
(713) 985.6741 Direct  
(713) 705.1467 Cell  
(713) 985.6703 Fax  
[t.a.walzer@westonsolutions.com](mailto:t.a.walzer@westonsolutions.com)

**From:** Moore, Gary [mailto:Moore.Gary@epa.gov]  
**Sent:** Tuesday, February 17, 2015 9:23 PM  
**To:** Criner, Jeffrey J.; Walzer, Thomas  
**Subject:** CES Chemical Spill Report

**Hello:**

**I have been unable to complete the review so I have requested and extension to allow me time to complete my review. I am having difficulty with the comparison values for the stormwater sample taken. I have attempted to extend it till 5/29/15.**

**Thanks**

**Gary Moore**  
Federal On-Scene Coordinator

U.S. EPA Region 6  
214-789-1627 cell  
214-665-6609 office  
[moore.gary@epa.gov](mailto:moore.gary@epa.gov)

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

\*\*\*\*\* ATTACHMENT REMOVED  
\*\*\*\*\*

This message contained an attachment which the administrator has caused to be removed.

\*\*\*\*\* ATTACHMENT REMOVED  
\*\*\*\*\*

Attachment name: [image001.jpg]  
Attachment type: [image/jpeg]